

Form PTO 1449 U.S. Dept of Commerce  
Rev 7-80 Patent & Trademark Off.

: Atty. Docket No. : Serial No. **10/632650**  
: HSJ920030194US1: not yet assigned  
: Applicant(s)  
: M. Carter et al.  
: File Date **8/1/03** : Group **2859**  
: Herewith not yet assigned

LIST OF PRIOR ART CITED BY APPLICANT(S)  
(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

EXAM.: INTL.:	: DOCUMENT : NUMBER	DATE	NAME	CLASS/ SUBCLASS	FILING DATE
<i>SC</i>	:AA: 5,346,306	09/13/94	M. Reading et al.	374/10	05/07/93
<i>↓</i>	:AB: 5,294,553	03/15/94	F. K. Kawahara	436/60	05/26/93
	:AC: 4,824,790	04/25/89	R. M. Carangelo et al.	436/157	10/17/86
	:AD: 3,902,354	09/02/75	R. E. Harlan et al.	73/15B	02/13/73
<i>↓</i>	:AE: 3,554,001	01/12/71	S. D. Norem	73/1	10/05/67

FOREIGN DOCUMENTS

INIT.	: DOC. NO.	: DATE	: COUNTRY	: CLASS/ SUBCLASS	: TRANSLATION YES : NO
<i>SC</i>	:BA: JP4120440	04/21/92	Japan	G01N5/04	X
	:BB:	NOT COMPLETE DOCUMENT (CITING IN PTO-892)			

INIT.	OTHER PRIOR ART (INCLUD. AUTHOR, TITLE, DATE, PERTINENT PG., ETC.)
<i>SC</i>	:CA: www.ssi.shimadzu.com/service/pdfs/tga_call.pdf "Standard Cleaning and Calibration Procedure for TGA-50 Certified Curie Point standards" (SRM-761 ) page 1-9
<i>↓</i>	:CC: ASTM-Summary Practice E1582-93- "Standard Practice for Calibration of Temperature Scale for Thermogravimetry", Copyright 2001 AMERICAN SOCIETY FOR TESTING AND MATERIALS, West Conshohocken, PA. <span style="float: right;">← SC</span>
	:CD: Kelsey and Truttmann; "Complete Thermogravimetric Analysis" May 1997 Pages 16, 18, 20, 22.
<i>↓</i>	:CE: http://www.nici.com/users/gundlach/calib_stand.html; Curie Point Standards For TGA Calibration. (page 5). (dated MARCH 200) <span style="float: right;">← SC</span>

EXAMINER *Stanley J. Pruchnicki Jr* DATE CONSIDERED *28 June 04*

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).

HSJ920030194US1